

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services - Irrigation & CAD Department – Sri A. Anantha Ramulu, Superintending Engineer, AVR HNSS, Circle No.II, Anantapur – Allegation of not reporting about the excess payments made to the contractor in the execution of works of AVR-HNSS Phase-I in Package No. 33 , Anantapur, despite knowledge about the same - Departmental proceedings under Rule-20 of the A.P. Civil Services (CC&A) Rules, 1991- Articles of charges - Issued

=====

IRRIGATION & CAD (SER.X.2) DEPARTMENT

G.O.Rt.No. 1244

Dated:13.12.2011.

O R D E R:

It is proposed to hold an enquiry against Sri A. Anantha Ramulu, Superintending Engineer, AVR HNSS, Circle-II, Anantapur, in accordance with the procedure laid down in Rule 20 of the A.P. Civil Services (CC&A) Rules,1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of Articles of charges. (Annexure-I), statement of imputations of misconduct and misbehavior (Annexure-II), a list of documents by which and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure. III & IV).

3. Sri A. Anantha Ramulu, Superintending Engineer, AVR HNSS Circle-II, Anantapur is directed to submit his Written Statement of defense, if any, within (10) days of the receipt of this order and also state whether he desires to be heard in person.

4. Sri A. Anantha Ramulu, Superintending Engineer, AVR HNSS Circle-II, Anantapur is informed that an inquiry will be held only in respect of those articles of charges which are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri A. Anantha Ramulu, Superintending Engineer, AVR HNSS Circle-II, Anantapur is further informed that if he does not submit his Written Statement of Defense on or before the date specified in para-3 above, further action will be processed basing on the material available.

6. Attention of Sri A. Anantha Ramulu, Superintending Engineer, AVR HNSS Circle-II, Anantapur, is invited to Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to take further his interest in respect of matters pertaining to his service under the Government, if any representation is received on his behalf from another person in respect of any matter, it will be dealt with in these proceedings.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri A. Anantha Ramulu, Superintending Engineer ,
AVR HNSS Circle-II, Ananthapur
through the Engineer-In-Chief (Admn.Wing),
Irrigation & CAD Department, Hyderabad.

Copy to:-

The Engineer-in-Chief (Administration Wing),
Irrigation & CAD Department, Hyderabad.
SF/SC

//FORWARDED: : BY ORDER//

SECTION OFFICER